

Genomic Sequences of Five *Helicoverpa armigera* Nucleopolyhedrovirus Genotypes from Spain That Differ in Their Insecticidal Properties

Maite Arrizubieta,^a Oihane Simón,^a Trevor Williams,^b Primitivo Caballero^{a,c}

Bioinsecticidas Microbianos, Instituto de Agrobiotecnología, UPNA-CSIC, Gobierno de Navarra, Mutilva, Spain^a; Instituto de Ecología AC, Xalapa, Veracruz, Mexico^b; Departamento de Producción Agraria, Laboratorio de Entomología Agrícola y Patología de Insectos, Universidad Pública de Navarra, Pamplona, Navarra, Spain^c

***Helicoverpa armigera* nucleopolyhedrovirus (HearNPV) has proved effective as the basis for various biological insecticides. Complete genome sequences of five Spanish HearNPV genotypes differed principally in the homologous regions (*hrs*) and the baculovirus repeat open reading frame (*bro*) genes, suggesting that they may be involved in the phenotypic differences observed among genotypes.**

Received 6 May 2015 Accepted 7 May 2015 Published 11 June 2015

Citation Arrizubieta M, Simón O, Williams T, Caballero P. 2015. Genomic sequences of five *Helicoverpa armigera* nucleopolyhedrovirus genotypes from Spain that differ in their insecticidal properties. *Genome Announc* 3(3):e00548-15. doi:10.1128/genomeA.00548-15.

Copyright © 2015 Arrizubieta et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 3.0 Unported license](https://creativecommons.org/licenses/by/3.0/).

Address correspondence to Oihane Simón, oihane.simón@unavarra.es.

The *Helicoverpa armigera* nucleopolyhedrovirus, HearNPV (*Baculoviridae*), is a single nucleocapsid alphabaculovirus that has proved to be an effective insecticide for control of *H. armigera* (Lepidoptera: Noctuidae) larvae on crops (1, 2). Five naturally occurring HearNPV isolates from Spain (3), named HearSNPV-SP1A, HearSNPV-SP1B, HearSNPV-LB1, HearSNPV-LB3, and HearSNPV-LB6, showed clear variation in insecticidal traits, such as occlusion body (OB) pathogenicity, speed of kill, and OB production in infected insects (3, 4). The genome of each of these genotypes was determined using the PacBio technique (Pacific Bioscience, USA) and assembled using the HGAP version 2.0.2 program.

The genome size of Spanish genotypes varied from 130,949 to 132,481 bp, with a G+C content of 39%, similar to that of other genotypes of HearSNPV (5–9). Overall, 136 open reading frames (ORFs) were present in HearSNPV-SP1A and HearSNPV-SP1B, whereas HearSNPV-LB1, HearSNPV-LB3, and HearSNPV-LB6 genomes lacked one ORF, as only two instead of three *bro* genes were located between homologous regions (*hrs*) 2 and 3. These 136 ORFs are present in at least one of the HearNPVs and *Helicoverpa zea* SNPV genomes that have been sequenced previously (5–9). The 62 core genes (10) and 5 *hrs* were present in the Spanish genotypes, whereas only 10 of the 17 ORFs that are unique to *Helicoverpa* sp. SNPVs (7) were present in the five Spanish genotypes. ORF5 of unknown function was present in all the sequenced *Helicoverpa* sp. SNPVs (5–9). ORF58 (*bro-a*), unique to Chinese genotypes (5, 6), was not identified in the Spanish genotypes.

Although the insecticidal properties of the five Spanish genotypes showed significant differences between them, they had 98 to 99% nucleotide homology, with 43 ORFs that were 100% homologous among these genotypes. Compared to previously reported genotypes, Spanish variants had 95 to 99% nucleotide homology, and 13 ORFs presented 100% homology to HearNPV genotypes registered in GenBank (5–9).

The principal variation among the Spanish genotypes was located in the homologous regions (*hrs*) and baculovirus repeat

ORFs (*bro*) genes, suggesting possible involvement in genotype-specific variation in insecticidal traits. Phylogenetic analysis indicated that the genotype from Kenya (HearNPV-NNg1) was more similar to Spanish genotypes than variants from China (HearNPV-C1, HearNPV-G4) or, Australia (HearNPV-Au) or *Helicoverpa zea* SNPV from the United States, possibly reflecting biogeographical relationships among populations of *H. armigera*, which has its origin in Africa. The complete genome sequences presented in this study provide a useful resource for further exploring the genetic diversity and the factors that determine the insecticidal properties of alphabaculoviruses.

Nucleotide sequence accession numbers. HearSNPV-LB1, HearSNPV-LB3, HearSNPV-LB6, HearSNPV-SP1A, and HearSNPV-SP1B genome sequences were submitted to GenBank with the accession numbers [KJ701029](https://www.ncbi.nlm.nih.gov/nuccore/KJ701029), [KJ701030](https://www.ncbi.nlm.nih.gov/nuccore/KJ701030), [KJ701031](https://www.ncbi.nlm.nih.gov/nuccore/KJ701031), [KJ701032](https://www.ncbi.nlm.nih.gov/nuccore/KJ701032), and [KJ701033](https://www.ncbi.nlm.nih.gov/nuccore/KJ701033), respectively.

ACKNOWLEDGMENTS

The Departamento de Innovación, Empresa y Empleo, Gobierno de Navarra (project IIQ14065.R11), funded the study. M.A. received a fellowship from CSIC.

REFERENCES

- Sun X. 2015. History and current status of development and use of viral insecticides in China. *Viruses* 7:306–319. <http://dx.doi.org/10.3390/v7010306>.
- Jones KA, Zelazny B, Ketunuti U, Cherry A, Grzywacz D. 1998. World survey. South-East Asia and the western Pacific, p 244–257. In Hunter-Fujita FR, Entwistle PF, Evans HF, Crook NE (ed), *Insect viruses and pest management*. John Wiley & Sons, Chichester, United Kingdom.
- Arrizubieta M, Simón O, Williams T, Caballero P. 2015. A novel binary mixture of *Helicoverpa armigera* single nucleopolyhedrovirus (HearSNPV) genotypic variants provides improved insecticidal characteristics for control of the cotton bollworm. *Appl Environ Microbiol* 12:3984–3993. <http://dx.doi.org/10.1128/AEM.00339-15>.
- Caballero P, Arrizubieta M, Simón O, Williams T. 2014. Nuevos genotipos del nucleopoliedrovirus simple de *Helicoverpa armigera* (HearSNPV), procedimiento para su producción y uso como agente de control biológico. Spanish patent P201430956.

5. Chen X, IJkel WF, Tarchini R, Sun X, Sandbrink H, Wang H, Peters S, Zuidema D, Lankhorst RK, Vlak JM, Hu Z. 2001. The sequence of the *Helicoverpa armigera* single nucleocapsid nucleopolyhedrovirus genome. *J Gen Virol* 82:241–257.
6. Zhang CX, Ma XC, Guo ZJ. 2005. Comparison of the complete genome sequence between C1 and G4 isolates of the *Helicoverpa armigera* single nucleocapsid nucleopolyhedrovirus. *Virology* 333:190–199. <http://dx.doi.org/10.1016/j.virol.2004.12.028>.
7. Ogembo JG, Caoili BL, Shikata M, Chaeychomsri S, Kobayashi M, Ikeda M. 2009. Comparative genomic sequence analysis of novel *Helicoverpa armigera* nucleopolyhedrovirus (NPV) isolated from Kenya and three other previously sequenced *Helicoverpa* spp. NPVs. *Virus Genes* 39:261–272. <http://dx.doi.org/10.1007/s11262-009-0389-3>.
8. Zhang H, Yang Q, Qin Q, Zhu W, Zhang Z, Li Y, Zhang N, Zhang J. 2014. Genomic sequence analysis of *Helicoverpa armigera* nucleopolyhedrovirus isolated from Australia. *Arch Virol* 159:595–601. <http://dx.doi.org/10.1007/s00705-013-1823-3>.
9. Chen X, Zhang WJ, Wong J, Chun G, Lu A, McCutchen BF, Presnail JK, Herrmann R, Dolan M, Tingey S, Hu ZH, Vlak JM. 2002. Comparative analysis of the complete genome sequences of *Helicoverpa zea* and *Helicoverpa armigera* single-nucleocapsid nucleopolyhedroviruses. *J Gen Virol* 83:673–684.
10. Herniou EA, Olszewski JA, Cory JS, O'Reilly DR. 2003. The genome sequence and evolution of baculoviruses. *Annu Rev Entomol* 48:211–234. <http://dx.doi.org/10.1146/annurev.ento.48.091801.112756>.